



UNIDADES CONDENSADORAS

BAJA TEMPERATURA (Compresor L'Unite Hermetique)
R-404A/R-507

Modelo	HP	Int. A	Cil. cm ³	Capacidad W Temp. evap.		Conexiones		Calderín		Capilar	
				- 25°C	- 35°C	Línea Líquido	Línea Aspiración	Aire			
								Código	€	Código	€
CAE2417Z	3/8	2,25	11,30	410	240	1/4"	3/8"	UC2260	517	UC2262	474
CAE2420Z	3/8	3,56	12,54	500	290	1/4"	3/8"	UC2264	485	UC2266	443
CAE2424Z	1/2	2,92	15,00	650	400	1/4"	3/8"	UC2268	669	UC2270	614
CAJ2428Z	1/2	4,01	15,20	630	370	3/8"	1/2"	UC2280	722	UC2282	660
CAJ2432Z	5/8	3,27	18,30	750	450	3/8"	1/2"	UC2284	786	UC2286	714
CAJ2446Z	3/4	3,98	26,15	980	550	3/8"	1/2"	UC2288	846	UC2290	764
CAJ2464Z	1 1/4	5,53	34,45	1.390	770	3/8"	5/8"	UC2296	948	UC2298	886

BAJA TEMPERATURA (Compresor L'Unite Hermetique)

Trifásicas 400/440 V. - 50/60 Hz.

R-404A/R-507

Modelo	HP	Int. A	Cil. cm ³	Capacidad W Temp. evap.		Conexiones		Calderín Aire	
				- 25°C	- 35°C	Línea Líquido	Línea Aspiración	Código	€
TAJ2464Z	1 1/4	2,25	34,45	1.390	770	3/8"	5/8"	UC2300	1.015
TFH2480Z	1 3/4	2,70	53,20	2.200	980	3/8"	5/8"	UC2304	1.576
TFH2511Z	2 1/2	3,40	74,25	2.950	1.480	3/8"	5/8"	UC2306	1.689

ALTA TEMPERATURA (Compresor L'Unite Hermetique)
R-404A/R-507

Modelo	HP	Int. A	Cil. cm ³	Capacidad W Temp. Evaporación			Conexiones		Calderín		Capilar	
				0°C	- 5°C	- 10°C	Línea Líquido	Línea Aspiración	Aire			
									Código	€	Código	€
AEZ4425Z	1/5	2,06	4,50	430	360	290	1/4"	3/8"	UC2325	386	UC2327	327
AEZ4430Z	1/4	2,55	5,70	590	500	410	1/4"	3/8"	UC2329	394	UC2331	365
AEZ9440Z	1/3	2,61	7,55	780	660	550	1/4"	3/8"	UC2337	477	UC2339	447
CAE4450Z	3/8	4,06	9,40	970	820	680	1/4"	3/8"	UC2350	479	UC2352	455
CAE9450Z	3/8	3,21	9,40	950	820	680	1/4"	3/8"	UC2354	521	UC2356	483
CAE9460Z	1/2	3,97	11,3	1.120	960	800	1/4"	3/8"	UC2358	529	UC2360	488
CAE9470Z	1/2	4,54	13,3	1.440	1.230	1.030	1/4"	3/8"	UC2362	545	UC2364	501
CAJ9480Z	5/8	4,68	15,2	1.620	1.390	1.180	3/8"	1/2"	UC2375	815	UC2377	752
CAJ9510Z	3/4	5,85	18,3	1.970	1.690	1.430	3/8"	1/2"	UC2383	872	UC2385	793
CAJ9513Z	1	7,45	24,2	2.370	2.030	1.720	3/8"	5/8"	UC2391	966	UC2393	900
CAJ4517Z	1 1/4	7,76	25,95	3.030	2.570	2.130	3/8"	5/8"	UC2399	1.001	UC2401	937
CAJ4519Z	1 1/2	10,5	34,45	3.800	3.240	2.730	3/8"	5/8"	UC2407	1.174	UC2409	1.108



UNIDADES CONDENSADORAS

ALTA TEMPERATURA (Compresor L'Unite Hermetique)
Trifásicas 400/440 V. - 50/60 Hz.
R-404A/R-507

Modelo	HP	Int. A	Cil. cm ³	Capacidad W Temperatura Evaporación			Conexiones		Calderín Aire	
				0°C	- 5°C	- 10°C	Línea Líquido	Línea Aspiración	Código	€
TFH4524Z	2	4,44	43,50	4.160	3.540	2.950	3/8"	5/8"	UC2440	1.540
TFH4531Z	2 1/2	5,56	56,65	5.990	5.090	4.230	1/2"	5/8"	UC2442	1.695
TFH4540Z	3	7,14	74,25	7.010	5.980	5.020	1/2"	5/8"	UC2444	2.045
TAG4546Z	4	7,45	90,20	8.880	7.380	6.010	5/8"	7/8"	UC2446	2.390
TAG4553Z	4 1/2	8,10	100,70	9.340	7.780	6.360	5/8"	7/8"	UC2448	2.915
TAG4561Z	5	9,02	112,5	10.880	9.040	7.350	5/8"	1 1/8"	UC2450	CONS.
TAG4568Z	6	10,50	124,4	12.540	10.480	8.510	5/8"	2 1/8"	UC2452	
TAG4573Z	6 1/2	11,40	134,8	12.700	10.720	8.880	5/8"	3 1/8"	UC2454	


ALTA TEMPERATURA (Compresor L'Unite Hermetique)
Trifásicas 400/440 V. - 50/60 Hz.
R-404A/R-507

Modelo	HP	Int. A	Cil. cm ³	Capacidad W Temp. Evaporación			Conexiones		Aire			
				0°C	- 5°C	- 10°C	Línea Líquido	Línea Aspiración	Calderín		Capilar	
									Código	€	Código	€
TAJ9480Z	5/8	2,01	15,20	1.620	1.390	1.180	3/8"	1/2"	UC2379	CONSULTAR	UC2381	CONSULTAR
TAJ9510Z	3/4	2,37	18,30	1.970	1.690	1.430	3/8"	1/2"	UC2387		UC2389	
TAJ9513Z	1	2,72	24,20	2.370	2.030	1.720	3/8"	5/8"	UC2395		UC2397	
TAJ4517Z	1 1/4	3,11	25,95	3.030	2.570	2.130	3/8"	5/8"	UC2403		UC2405	
TAJ4519Z	1 1/2	4,26	34,45	3.800	3.240	2.730	3/8"	5/8"	UC2411		UC2413	

ALTA TEMPERATURA (Compresor L'Unite Hermetique)
Trifásicas 400/440 V. - 50/60 Hz.
R-134a

Modelo	HP	Int. A	Cil. cm ³	Capacidad W Temp. Evaporación			Conexiones		Aire			
				0°C	- 5°C	- 10°C	Línea Líquido	Línea Aspiración	Calderín		Capilar	
									Código	€	Código	€
TAJ4461Y	1/2	1,58	18,30	1.160	970	760	1/4"	1/2"	UC2204	CONSULTAR	UC2206	CONS.
TAJ4492Y	3/4	1,75	25,95	1.740	1.440	1.180	3/8"	1/2"	UC2216		UC2218	
TAJ4511Y	1 1/4	2,39	32,70	2.140	1.790	1.480	3/8"	5/8"	UC2224		UC2226	
TFH4518Y	1 1/2	3,66	53,20	3.460	2.820	2.250	3/8"	5/8"	UC2234			
TFH4525Y	2	4,05	74,25	4.150	3.640	2.760	3/8"	5/8"	UC2236			

ALTA TEMPERATURA (Compresor L'Unite Hermetique)
R-134a

Modelo	HP	Int. A	Cil. cm ³	Capacidad W Temp. Evaporación			Conexiones		Aire			
				0°C	- 5°C	- 10°C	Línea Líquido	Línea Aspiración	Calderín		Capilar	
									Código	€	Código	€
THB4419Y	1/5	1,72	5,60	390	320	260	1/4"	3/8"	UC2151	362	UC2153	309
AEZ4425Y	1/5	2,05	7,55	490	400	320	1/4"	3/8"	UC2164	370	UC2166	319
AEZ4430Y	1/4	2,2	8,85	600	500	390	1/4"	3/8"	UC2168	424	UC2170	366
CAE4440Y	3/8	3,26	12,05	770	640	520	1/4"	3/8"	UC2180	445	UC2182	401
CAE4448Y	3/8	3,84	14,15	940	780	630	1/4"	3/8"	UC2184	468	UC2186	424
CAE4456Y	3/8	4,63	16,00	1.030	850	690	1/4"	3/8"	UC2188	494	UC2190	461
CAJ4461Y	1/2	4,67	18,30	1.160	970	760	1/4"	1/2"	UC2200	646	UC2202	584
CAJ4476Y	1/2	5,42	19,30	1.450	1.190	960	3/8"	1/2"	UC2208	742	UC2210	675
CAJ4492Y	3/4	6,18	25,95	1.740	1.440	1.180	3/8"	1/2"	UC2212	840	UC2214	775
CAJ4511Y	1	6,03	32,70	2.140	1.790	1.480	3/8"	5/8"	UC2220	917	UC2222	852
FH4518Y	1 1/2	8,77	53,20	3.200	2.370	1.650	3/8"	5/8"	UC2228	1.427	UC2230	CONS.



UNIDADES CONDENSADORAS

ALTA TEMPERATURA (Compresor L'Unite Hermetique)
R-22

Modelo	HP	Int. A	Cil. cm ³	Capacidad W			Conexiones		Aire			
				Temp. Evaporación			Línea Líquido	Línea Aspiración	Calderín		Capilar	
				0°C	- 5°C	- 10°C			Código	€	Código	€
AEZ4425E	1/5	2,2	4,50	440	370	300	1/4"	3/8"	UC2000	416	UC2002	369
AEZ4430E	1/4	2,53	5,70	580	480	400	1/4"	3/8"	UC2008	436	UC2010	386
AEZ4440E	1/3	2,60	7,55	730	590	460	1/4"	3/8"	UC2016	479	UC2018	430
AEZ9440T	1/3	2,99	7,55	790	670	550	1/4"	3/8"	UC2020	511	UC2022	465
CAE4450E	3/8	3,87	9,40	990	830	680	1/4"	3/8"	UC2030	536	UC2032	487
CAE9450T	3/8	2,60	9,40	900	710	550	1/4"	3/8"	UC2034	575	UC2036	530
CAE9460T	1/2	3,56	11,30	1.160	980	810	1/4"	3/8"	UC2038	602	UC2040	555
CAJ9480T	5/8	4,21	15,20	1.630	1.390	1.160	3/8"	1/2"	UC2050	950	UC2052	884
CAJ9510T	3/4	5,06	18,30	1.940	1.640	1.370	3/8"	1/2"	UC2054	973	UC2056	912
CAJ9513T	1	6,63	24,20	2.370	2.010	1.670	3/8"	5/8"	UC2058	1.028	UC2060	963
CAJ4517E	1 1/4	6,54	25,95	2.980	2.500	2.070	3/8"	5/8"	UC2062	1.072	UC2064	1.007

ALTA TEMPERATURA (Compresor L'Unite Hermetique)
Trifásicas 400/440 V. - 50/60 Hz.
R-22

Modelo	HP	Int. A	Cil. cm ³	Capacidad W			Conexiones		Aire			
				Temp. Evaporación			Línea Líquido	Línea Aspiración	Calderín		Capilar	
				0°C	- 5°C	- 10°C			Código	€	Código	€
TAJ9480T	5/8	1,92	15,20	1.630	1.390	1.160	3/8"	1/2"	UC2500	CONSULTAR	UC2502	CONSULTAR
TAJ9510T	3/4	2,17	18,30	1.940	1.640	1.370	3/8"	1/2"	UC2504		UC2506	
TAJ9513T	1	2,47	24,20	2.370	2.010	1.670	3/8"	5/8"	UC2508		UC2510	
TAJ4517T	1 1/4	2,87	25,95	2.980	2.500	2.070	3/8"	5/8"	UC2512		UC2514	
TAJ4519T	1 1/2	3,76	34,45	3.770	3.190	2.640	3/8"	5/8"	UC2516		UC2518	
TFH4524F	2	4,30	43,50	4.200	3.540	2.910	3/8"	5/8"	UC2520		UC2522	
TFH4531F	2 1/2	5,16	56,65	6.160	5.200	4.360	1/2"	5/8"	UC2524			
TFH4540F	3	7,28	74,25	7.440	6.170	5.140	1/2"	5/8"	UC2528			
TAG4546T	4	7,74	90,20	8.480	7.000	5.570	5/8"	7/8"	UC2532	CONSULTAR		
TAG4553T	4 1/2	8,65	100,70	9.750	8.030	6.640	5/8"	7/8"	UC2536			
TAG4561T	5	10,90	112,50	11.450	9.000	7.610	5/8"	1 1/8"	UC2540			
TAG4568T	6	10,70	124,40	12.760	10.660	8.570	5/8"	1 1/8"	UC2544			
TAG4573T	6 1/2	11,70	134,80	12.630	10.540	8.740	5/8"	1 1/8"	UC2548			

