




EVAPORADORES COMERCIALES - SERIE AK

MODELOS AKS		Paso de aletas 3 mm.					
		AKS-14	AKS-21	AKS-28	AKS-42	AKS-63	AKS-84
Capacidad	ΔT 8°C - W	1.720	2.640	3.420	5.270	7.880	10.510
Dimensiones	A mm.	590	590	990	990	1.390	1.790
	B mm.	380	380	380	380	380	380
	C mm.	310	310	310	310	310	310
Superficie m ²		7,7	9,6	15,3	19,1	28,7	38,3
Volumen interior dm ³		1,3	1,7	2,6	3,4	5,1	6,8
Ventiladores	Caudal aire m ³ /h	800	1.300	1.600	2.600	3.900	5.200
	Flecha aire m.	5	6	5	6	6	6
	Nº x Ø (mm)	1x250	1x300	2x250	2x300	3x300	4x300
	Total Amperios I	0,23	0,30	0,46	0,60	0,90	1,20
	Total W.	38	70	76	140	210	280
Conexiones	Entrada Ø Pulg.	1/2"	1/2"	5/8"	5/8"	5/8"	5/8"
	Salida Ø Pulg.	5/8"	5/8"	3/4"	7/8"	1 1/8"	1 1/8"
	Desagüe Ø Pulg.	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Resistencias	W.	1.600	1.600	2.400	2.400	3.600	5.200
Desescarche Aire	Código	EV0700	EV0701	EV0702	EV0703	EV0704	EV0705
	€	684	849	1.056	1.339	1.899	2.365
Desescarche Eléctrico	Código	EV0725	EV0726	EV0727	EV0728	EV0729	EV0730
	€	873	1.044	1.274	1.551	2.165	2.678

MODELOS AKS		Paso de aletas 3,2 mm.						
		AKS-98	AKS-123	AKS-174	AKS-250	AKS-265	AKS-405	AKS-540
Capacidad	ΔT 8°C - W	12.280	15.430	21.790	30.850	32.710	50.520	67.360
Dimensiones	A mm.	1.270	1.270	1.945	2.455	1.655	2.455	3.155
	B mm.	655	655	580	655	815	815	815
	C mm.	460	460	465	465	550	550	550
Superficie m ²		41,6	62,5	80,3	124,9	98,6	159,3	212,4
Volumen interior dm ³		7,9	11,8	14,0	23,6	17,3	27,9	37,2
Ventiladores	Caudal aire m ³ /h	6.800	6.600	9.900	13.200	16.900	25.350	33.800
	Flecha aire m.	8	7	8	7	22	23	24
	Nº x Ø (mm)	2x400	2x400	3x400	4x400	2x500	3x500	4x500
	Total Amperios I	1,46	1,46	2,19	2,92	2,70	4,05	5,40
	Total W.	320	320	480	640	1.560	2.340	3.120
Conexiones	Entrada Ø Pulg.	1/2"	5/8"	5/8"	7/8"	7/8"	1 1/8"	1 1/8"
	Salida Ø Pulg.	7/8"	1 1/8"	1 1/8"	1 5/8"	1 3/8"	1 5/8"	1 5/8"
	Desagüe Ø Pulg.	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	2"
Resistencias	W.	3.600	5.400	7.200	9.000	9.600	12.000	18.000
Desescarche Aire	Código	EV0706	EV0707	EV0708	EV0709	EV0710	EV0711	EV0712
	€	2.590	2.879	3.705	4.996	4.695	6.884	8.778
Desescarche Eléctrico	Código	EV0731	EV0732	EV0733	EV0734	EV0735	EV0736	EV0737
	€	3.215	3.516	4.406	5.810	5.574	7.828	10.246






EVAPORADORES COMERCIALES - SERIE AK

MODELOS AKD		Paso de aletas 3,2 - 6,4 mm.					
		AKD-12	AKD-20	AKD-27	AKD-41	AKD-56	AKD-74
Capacidad	ΔT 8°C - W	1.350	2.310	3.020	4.620	6.220	8.290
Dimensiones	A mm.	590	590	990	990	1.390	1.790
	B mm.	380	380	380	380	380	380
	C mm.	310	310	310	310	310	310
Superficie m ²		6,3	9,9	16,3	19,9	24,4	32,6
Volumen interior dm ³		1,3	2,1	3,4	4,2	5,1	6,8
Ventiladores	Caudal aire m ³ /h	850	1.300	1.600	2.600	4.050	5.400
	Flecha aire m.	5,0	6,0	4,5	6,0	6,5	6,5
	Nº x Ø (mm)	1x250	1x300	2x250	2x300	3x300	4x300
	Total Amperios I	0,23	0,30	0,46	0,60	0,90	1,20
Conexiones	Total W.	38	70	76	140	210	280
	Entrada Ø Pulg.	1/2"	5/8"	5/8"	5/8"	5/8"	5/8"
	Salida Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 1/8"
Resistencias	Desagüe Ø Pulg.	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
	W.	1.600	1.600	2.400	2.400	3.600	5.200
Desescarche Aire	Código	EV0750	EV0751	EV0752	EV0753	EV0754	EV0755
	€	667	861	1.097	1.404	1.888	2.342
Desescarche Eléctrico	Código	EV0775	EV0776	EV0777	EV0778	EV0779	EV0780
	€	873	1.056	1.304	1.605	2.130	2.666

MODELOS AKD		Paso de aletas 4,5 mm.						
		AKD-75	AKD-94	AKD-132	AKD-188	AKD-195	AKD-300	AKD-400
Capacidad	ΔT 8°C - W	8.370	10.530	14.870	21.060	21.780	33.650	44.860
Dimensiones	A mm.	1.270	1.270	1.945	2.455	1.655	2.455	3.155
	B mm.	655	655	580	655	815	815	815
	C mm.	460	460	465	465	550	550	550
Superficie m ²		30,2	45,3	58,3	90,7	71,6	115,7	154,3
Volumen interior dm ³		7,9	11,8	14,0	23,6	17,3	27,9	37,2
Ventiladores	Caudal aire m ³ /h	7.200	7.000	10.500	14.000	17.200	25.800	34.400
	Flecha aire m.	9,0	8,0	9,0	8,0	23,0	24,0	25,0
	Nº x Ø (mm)	2x400	2x400	3x400	4x400	2x500	3x500	4x500
	Total Amperios I	1,46	1,46	2,19	2,92	2,70	4,05	5,40
Conexiones	Total W.	320	320	480	640	1.560	2.340	3.120
	Entrada Ø Pulg.	1/2"	5/8"	5/8"	7/8"	7/8"	1 1/8"	1 1/8"
	Salida Ø Pulg.	7/8"	1 1/8"	1 1/8"	1 5/8"	1 3/8"	1 5/8"	1 5/8"
Resistencias	Desagüe Ø Pulg.	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	2"
	W.	3.600	5.400	7.200	9.000	9.600	12.000	18.000
Desescarche Aire	Código	EV0756	EV0757	EV0758	EV0759	EV0760	EV0761	EV0762
	€	2.513	2.749	3.539	4.772	4.513	6.501	8.223
Desescarche Eléctrico	Código	EV0781	EV0782	EV0783	EV0784	EV0785	EV0786	EV0787
	€	3.150	3.398	4.241	5.592	5.409	7.627	9.698





EVAPORADORES COMERCIALES - SERIE AK

MODELOS AKL		Paso de aletas 4,5 - 9 mm.					
		AKL-10	AKL-16	AKL-22	AKL-31	AKL-47	AKL-62
Capacidad	ΔT 8°C - W	1.090	1.640	2.170	3.280	4.920	6.530
Dimensiones	A mm.	590	590	990	990	1.390	1.790
	B mm.	380	380	380	380	380	380
	C mm.	310	310	310	310	310	310
Superficie m ²		6	7,3	11,9	14,5	21,8	29,1
Volumen interior dm ³		1,7	2,1	3,4	4,2	6,3	8,4
Ventiladores	Caudal aire m ³ /h	850	1.350	1.700	2.700	4.050	5.400
	Flecha aire m.	4,5	6,0	4,5	6,0	6,0	6,0
	Nº x Ø (mm)	1x250	1x300	2x250	2x300	3x300	4x300
	Total Amperios I	0,23	0,30	0,46	0,60	0,90	1,20
Conexiones	Total W.	38	70	76	140	210	280
	Entrada Ø Pulg.	1/2"	5/8"	5/8"	5/8"	5/8"	7/8"
	Salida Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 1/8"
Resistencias	Desagüe Ø Pulg.	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
	W.	1.600	1.600	2.400	2.400	3.600	5.200
Desescarche Aire	Código	EV0800	EV0801	EV0802	EV0803	EV0804	EV0805
	€	714	849	1.085	1.363	1.911	2.389
Desescarche Eléctrico	Código	EV0825	EV0826	EV0827	EV0828	EV0829	EV0830
	€	903	1.056	1.292	1.575	2.177	2.708

MODELOS AKL		Paso de aletas 6,2 mm.						
		AKL-57	AKL-73	AKL-103	AKL-145	AKL-150	AKL-230	AKL-305
Capacidad	ΔT 8°C - W	6.010	7.640	10.780	15.270	15.620	24.120	32.160
Dimensiones	A mm.	1.270	1.270	1.945	2.455	1.655	2.455	3.155
	B mm.	655	655	580	655	815	815	815
	C mm.	460	460	465	465	550	550	550
Superficie m ²		22,5	33,8	43,5	67,6	53,4	86,3	115,1
Volumen interior dm ³		7,9	11,8	14,0	23,6	17,3	27,9	37,2
Ventiladores	Caudal aire m ³ /h	7.400	7.300	10.950	14.600	17.600	26.400	35.200
	Flecha aire m.	10,0	9,0	10,0	9,0	24,0	25,0	26,0
	Nº x Ø (mm)	2x400	2x400	3x400	4x400	2x500	3x500	4x500
	Total Amperios I	1,46	1,46	2,19	2,92	2,70	4,05	5,40
Conexiones	Total W.	320	320	480	640	1.560	2.340	3.120
	Entrada Ø Pulg.	1/2"	5/8"	5/8"	7/8"	7/8"	1 1/8"	1 1/8"
	Salida Ø Pulg.	7/8"	1 1/8"	1 1/8"	1 5/8"	1 3/8"	1 5/8"	1 5/8"
Resistencias	Desagüe Ø Pulg.	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	2"
	W.	3.600	5.400	7.200	9.000	9.600	12.000	18.000
Desescarche Aire	Código	EV0806	EV0807	EV0808	EV0809	EV0810	EV0811	EV0812
	€	2.448	2.678	3.439	4.631	4.406	6.389	8.152
Desescarche Eléctrico	Código	EV0831	EV0832	EV0833	EV0834	EV0835	EV0836	EV0837
	€	3.079	3.315	4.135	5.439	5.303	7.521	9.621

