




EVAPORADORES INDUSTRIALES - SERIE IK

MODELO IKS		Paso de aletas 3,5 mm.					
		IKS-34	IKS-40	IKS-50	IKS-60	IKS-67	IKS-80
Capacidad	ΔT 8°C - W	43.010	51.290	63.280	75.470	84.370	100.620
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		175,7	256,2	251	366	334,6	488
Volumen interior dm ³		36,8	52,9	54,4	78,6	72,5	104,8
Ventiladores	Caudal aire m ³ /h	18.600	18.000	27.900	27.000	37.200	36.000
	Flecha aire m.	24	23	24	23	24	23
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
	Total W	1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	10.200	15.300	16.200	16.200	19.800	19.800
Conexiones	Entrada Ø Pulg.	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"
	Salida Ø Pulg.	1 5/8"	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1030	EV1031	EV1032	EV1033	EV1034	EV1035
	€	7.214	8.884	10.347	12.606	13.432	16.287
Desescarche Agua	Código	EV1045	EV1046	EV1047	EV1048	EV1049	EV1050
	€	7.674	9.332	10.972	13.231	14.275	17.130
Desescarche Eléctrico	Código	EV1060	EV1061	EV1062	EV1063	EV1064	EV1065
	€	7.798	9.727	11.727	13.992	15.013	17.868

MODELO IKD		Paso de aletas 4,5 mm.					
		IKD-33	IKD-38	IKD-49	IKD-57	IKD-66	IKD-76
Capacidad	ΔT 8°C - W	35.230	40.990	51.840	60.310	69.120	80.420
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		173,2	242,4	247,4	346,3	329,8	461,8
Volumen interior dm ³		45,4	63,8	67,8	93,8	90	126,6
Ventiladores	Caudal aire m ³ /h	18.600	18.000	27.900	27.000	37.200	36.000
	Flecha aire m.	22	21	22	21	22	21
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
	Total W	1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	15.300	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1075	EV1076	EV1077	EV1078	EV1079	EV1080
	€	7.598	8.949	10.642	12.576	13.750	16.322
Desescarche Agua	Código	EV1090	EV1091	EV1092	EV1093	EV1094	EV1095
	€	8.028	9.409	11.279	13.214	14.594	17.166
Desescarche Eléctrico	Código	EV1100	EV1101	EV1102	EV1103	EV1104	EV1105
	€	8.435	10.081	12.488	14.429	15.856	18.428






EVAPORADORES INDUSTRIALES - SERIE IK

MODELO IKL		Paso de aletas 7 mm.					
		IKL-23	IKL-27	IKL-34	IKL-40	IKL-46	IKL-53
Capacidad	ΔT 8°C - W	22.780	26.350	33.510	38.430	44.670	51.690
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		115,1	161,2	164,4	230,2	219,2	306,9
Volumen interior dm ³		45,4	63,8	67,8	93,8	90	126,6
Ventiladores	Caudal aire m ³ /h	19.400	18.600	29.100	27.900	38.800	37.200
	Flecha aire m.	23	22	23	22	23	22
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
Total W		1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	20.400	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1115	EV1116	EV1117	EV1118	EV1119	EV1120
	€	7.138	8.376	10.028	11.751	12.913	15.219
Desescarche Agua	Código	EV1130	EV1131	EV1132	EV1133	EV1134	EV1135
	€	7.598	8.807	10.642	12.388	13.750	16.057
Desescarche Eléctrico	Código	EV1145	EV1146	EV1147	EV1148	EV1149	EV1150
	€	8.258	9.497	11.880	13.609	15.013	17.331

MODELO IKT		Paso de aletas 10 mm.					
		IKT-17	IKT-19	IKT-25	IKT-29	IKT-33	IKT-38
Capacidad	ΔT 8°C - W	16.410	18.990	24.140	27.930	32.190	37.240
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		83,8	117,4	119,7	167,5	159,5	223,4
Volumen interior dm ³		45,4	63,8	67,8	93,8	90	126,6
Ventiladores	Caudal aire m ³ /h	19.700	18.900	29.550	28.350	39.400	37.800
	Flecha aire m.	25	24	25	24	25	24
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
Total W		1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	20.400	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1160	EV1161	EV1162	EV1163	EV1164	EV1165
	€	7.037	8.105	9.875	11.408	12.742	14.862
Desescarche Agua	Código	EV1175	EV1176	EV1177	EV1178	EV1179	EV1180
	€	7.480	8.553	10.512	12.034	13.573	15.520
Desescarche Eléctrico	Código	EV1190	EV1191	EV1192	EV1193	EV1194	EV1195
	€	8.146	9.238	11.727	13.255	14.848	16.782





EVAPORADORES INDUSTRIALES - SERIE IK

MODELO IKX		Paso de aletas 12 mm.					
		IKX-14	IKX-17	IKX-22	IKX-25	IKX-29	IKX-34
Capacidad	ΔT 8°C - W	14.020	16.230	20.630	23.870	27.500	31.830
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		71,6	100,2	102,2	143,1	136,3	190,8
Volumen interior dm ³		45,4	63,8	67,8	93,8	90,0	126,6
Ventiladores	Caudal aire m ³ /h	19.700	18.900	29.550	28.350	39.400	37.800
	Flecha aire m.	26	25	26	25	26	25
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
Total W		1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	20.400	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1200	EV1201	EV1202	EV1203	EV1204	EV1205
	€	6.919	7.916	9.727	11.167	12.488	14.334
Desescarche Agua	Código	EV1215	EV1216	EV1217	EV1218	EV1219	EV1220
	€	7.380	8.376	10.347	11.804	13.332	15.178
Desescarche Eléctrico	Código	EV1230	EV1231	EV1232	EV1233	EV1234	EV1235
	€	8.058	9.037	11.574	13.013	14.606	16.452

