




EVAPORADORES INDUSTRIALES - SERIE IK

MODELO IKS		Paso de aletas 3,5 mm.					
		IKS-34	IKS-40	IKS-50	IKS-60	IKS-67	IKS-80
Capacidad	ΔT 8°C - W	43.010	51.290	63.280	75.470	84.370	100.620
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		175,7	256,2	251	366	334,6	488
Volumen interior dm ³		36,8	52,9	54,4	78,6	72,5	104,8
Ventiladores	Caudal aire m ³ /h	18.600	18.000	27.900	27.000	37.200	36.000
	Flecha aire m.	24	23	24	23	24	23
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
	Total W	1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	10.200	15.300	16.200	16.200	19.800	19.800
Conexiones	Entrada Ø Pulg.	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"	1 1/8"
	Salida Ø Pulg.	1 5/8"	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1030	EV1031	EV1032	EV1033	EV1034	EV1035
	€	6.870,80	8.460,70	9.854,00	12.005,70	12.792,20	15.511,30
Desescarche Agua	Código	EV1045	EV1046	EV1047	EV1048	EV1049	EV1050
	€	7.309,00	8.887,70	10.449,50	12.601,20	13.595,60	16.314,70
Desescarche Eléctrico	Código	EV1060	EV1061	EV1062	EV1063	EV1064	EV1065
	€	7.427,00	9.264,10	11.168,60	13.325,90	14.297,80	17.016,90

MODELO IKD		Paso de aletas 4,5 mm.					
		IKD-33	IKD-38	IKD-49	IKD-57	IKD-66	IKD-76
Capacidad	ΔT 8°C - W	35.230	40.990	51.840	60.310	69.120	80.420
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		173,2	242,4	247,4	346,3	329,8	461,8
Volumen interior dm ³		45,4	63,8	67,8	93,8	90	126,6
Ventiladores	Caudal aire m ³ /h	18.600	18.000	27.900	27.000	37.200	36.000
	Flecha aire m.	22	21	22	21	22	21
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
	Total W	1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	15.300	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1075	EV1076	EV1077	EV1078	EV1079	EV1080
	€	7.236,00	8.522,50	10.134,90	11.977,60	13.095,60	15.545,00
Desescarche Agua	Código	EV1090	EV1091	EV1092	EV1093	EV1094	EV1095
	€	7.646,10	8.960,70	10.741,60	12.584,30	13.898,90	16.348,40
Desescarche Eléctrico	Código	EV1100	EV1101	EV1102	EV1103	EV1104	EV1105
	€	8.033,70	9.601,20	11.893,30	13.741,60	15.101,20	17.550,60






EVAPORADORES INDUSTRIALES - SERIE IKL

MODELO IKL		Paso de aletas 7 mm.					
		IKL-23	IKL-27	IKL-34	IKL-40	IKL-46	IKL-53
Capacidad	ΔT 8°C - W	22.780	26.350	33.510	38.430	44.670	51.690
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		115,1	161,2	164,4	230,2	219,2	306,9
Volumen interior dm ³		45,4	63,8	67,8	93,8	90	126,6
Ventiladores	Caudal aire m ³ /h	19.400	18.600	29.100	27.900	38.800	37.200
	Flecha aire m.	23	22	23	22	23	22
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
	Total W	1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	20.400	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1115	EV1116	EV1117	EV1118	EV1119	EV1120
	€	6.797,80	7.977,60	9.550,60	11.191,10	12.297,80	14.494,40
Desescarche Agua	Código	EV1130	EV1131	EV1132	EV1133	EV1134	EV1135
	€	7.236,00	8.387,70	10.134,90	11.797,80	13.095,60	15.292,20
Desescarche Eléctrico	Código	EV1145	EV1146	EV1147	EV1148	EV1149	EV1150
	€	7.865,20	9.045,00	11.314,70	12.960,70	14.297,80	16.505,70


MODELO IKT		Paso de aletas 10 mm.					
		IKT-17	IKT-19	IKT-25	IKT-29	IKT-33	IKT-38
Capacidad	ΔT 8°C - W	16.410	18.990	24.140	27.930	32.190	37.240
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		83,8	117,4	119,7	167,5	159,5	223,4
Volumen interior dm ³		45,4	63,8	67,8	93,8	90	126,6
Ventiladores	Caudal aire m ³ /h	19.700	18.900	29.550	28.350	39.400	37.800
	Flecha aire m.	25	24	25	24	25	24
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
	Total W	1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	20.400	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1160	EV1161	EV1162	EV1163	EV1164	EV1165
	€	6.702,30	7.719,10	9.404,50	10.865,20	12.134,90	13.983,20
Desescarche Agua	Código	EV1175	EV1176	EV1177	EV1178	EV1179	EV1180
	€	7.123,60	8.146,10	10.011,30	11.460,70	12.927,00	14.781,00
Desescarche Eléctrico	Código	EV1190	EV1191	EV1192	EV1193	EV1194	EV1195
	€	7.758,50	8.797,80	11.168,60	12.623,60	14.140,50	15.983,20





EVAPORADORES INDUSTRIALES - SERIE IKX

MODELO IKX		Paso de aletas 12 mm.					
		IKX-14	IKX-17	IKX-22	IKX-25	IKX-29	IKX-34
Capacidad	ΔT 8°C - W	14.020	16.230	20.630	23.870	27.500	31.830
Dimensiones	A mm.	2.225	2.225	3.035	3.035	3.995	3.995
	B mm.	910	1.030	910	1.030	910	1.030
	C mm.	805	805	805	805	805	805
Superficie m ²		71,6	100,2	102,2	143,1	136,3	190,8
Volumen interior dm ³		45,4	63,8	67,8	93,8	90,0	126,6
Ventiladores	Caudal aire m ³ /h	19.700	18.900	29.550	28.350	39.400	37.800
	Flecha aire m.	26	25	26	25	26	25
	Nº x Ø (mm)	2x630	2x630	3x630	3x630	4x630	4x630
	Total Amperios I	2,5	2,5	3,75	3,75	5	5
	Total W	1.380	1.380	2.070	2.070	2.760	2.760
Resistencias	W.	20.400	20.400	21.600	21.600	26.400	26.400
Conexiones	Entrada Ø Pulg.	1 1/8"	1 3/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 5/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"	2 1/8"
	Desagüe Ø Pulg.	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1200	EV1201	EV1202	EV1203	EV1204	EV1205
	€	6.589,90	7.539,40	9.264,10	10.634,90	11.893,30	13.651,70
Desescarche Agua	Código	EV1215	EV1216	EV1217	EV1218	EV1219	EV1220
	€	7.028,10	7.977,60	9.854,00	11.241,60	12.696,70	14.455,10
Desescarche Eléctrico	Código	EV1230	EV1231	EV1232	EV1233	EV1234	EV1235
	€	7.674,20	8.606,80	11.022,50	12.393,30	13.910,20	15.668,60






EVAPORADORES INDUSTRIALES DE TECHO - SERIE SK

Ventiladores de alta velocidad 1.300 r.p.m.

MODELO SKS		Paso de aletas 3,5 mm.					
		SKS-30	SKS-35	SKS-44	SKS-51	SKS-60	SKS-68
Capacidad	ΔT 8°C - W	33.970	39.730	50.970	59.620	67.970	79.510
Dimensiones	A mm.	1.640	1.640	2.340	2.340	3.040	3.040
	B mm.	600	600	600	600	600	600
	C mm.	1.290	1.290	1.290	1.290	1.290	1.290
Superficie m ²		130,5	173,9	195,8	261,0	261,1	348,1
Volumen interior dm ³		27,5	36,5	40,0	54,8	52,8	71,4
Ventiladores	Caudal aire m ³ /h	16.900	16.400	25.350	24.600	33.800	32.800
	Flecha aire m.	13	12	13	12	13	12
	Nº x Ø (mm)	2x500	2x500	3x500	3x500	4x500	4x500
	Total Amperios I	2,7	2,7	4,05	4,05	5,4	5,4
	Total W	1.560	1.560	2.340	2.340	3.120	3.120
Resistencias	W.	13.200	13.200	19.200	19.200	24.000	24.000
Conexiones	Entrada Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 1/8"	1 3/8"	1 3/8"	1 3/8"	1 5/8"	2 1/8"
	Desagüe Ø Pulg.	1 1/2"	2"	2"	2"	3"	3"
Desescarche Aire	Código	EV1250	EV1251	EV1252	EV1253	EV1254	EV1255
	€	7.792,20	8.702,30	10.185,40	11.129,30	13.134,90	14.421,40
Desescarche Eléctrico	Código	EV1265	EV1266	EV1267	EV1268	EV1269	EV1270
	€	9.247,20	10.174,20	11.966,30	12.927,00	15.679,80	16.966,40

Ventiladores de baja velocidad 1.000 r.p.m.

MODELO SKSB		Paso de aletas 3,5 mm.					
		SKSB-22	SKSB-26	SKSB-33	SKSB-37	SKSB-41	SKSB-49
Capacidad	ΔT 8°C - W	25.860	28.860	38.800	43.300	51.740	57.740
Dimensiones	A mm.	1.640	1.640	2.340	2.340	3.040	3.040
	B mm.	600	600	600	600	600	600
	C mm.	1.290	1.290	1.290	1.290	1.290	1.290
Superficie m ²		130,5	173,9	195,8	261,0	261,1	348,1
Volumen interior dm ³		27,5	36,5	40,0	54,8	52,8	71,4
Ventiladores	Caudal aire m ³ /h	10.800	9.700	16.200	14.550	21.600	19.400
	Flecha aire m.	11	10	11	10	11	10
	Nº x Ø (mm)	2x500	2x500	3x500	3x500	4x500	4x500
	Total Amperios I	1,88	1,88	2,82	2,82	3,76	3,76
	Total W	1.100	1.100	1.650	1.650	2.200	2.200
Resistencias	W.	13.200	13.200	19.200	19.200	24.000	24.000
Conexiones	Entrada Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 1/8"	1 3/8"	1 3/8"	1 3/8"	1 5/8"	2 1/8"
	Desagüe Ø Pulg.	1 1/2"	2"	2"	2"	3"	3"
Desescarche Aire	Código	EV1340	EV1341	EV1342	EV1343	EV1344	EV1345
	€	7.792,20	8.702,30	10.185,40	11.129,30	13.134,90	14.421,40
Desescarche Eléctrico	Código	EV1350	EV1351	EV1352	EV1353	EV1354	EV1355
	€	9.247,20	10.174,20	11.966,30	12.927,00	15.679,80	16.966,40






EVAPORADORES INDUSTRIALES DE TECHO - SERIE SK

Ventiladores de alta velocidad 1.300 r.p.m.

MODELO SKD		Paso de aletas 4,5 mm.					
		SKD-20	SKD-24	SKD-32	SKD-38	SKD-43	SKD-50
Capacidad	ΔT 8°C - W	24.360	28.510	36.560	42.780	48.740	57.050
Dimensiones	A mm.	1.640	1.640	2.340	2.340	3.040	3.040
	B mm.	600	600	600	600	600	600
	C mm.	1.290	1.290	1.290	1.290	1.290	1.290
Superficie m ²		102,9	137,3	154,5	206,0	206,0	274,7
Volumen interior dm ³		27,5	36,5	40,0	54,8	52,8	71,4
Ventiladores	Caudal aire m ³ /h	17.300	16.800	25.950	25.200	34.600	33.600
	Flecha aire m.	14	13	14	13	14	13
	Nº x Ø (mm)	2x500	2x500	3x500	3x500	4x500	4x500
	Total Amperios I	2,7	2,7	4,05	4,05	5,4	5,4
Resistencias	Total W	1.560	1.560	2.340	2.340	3.120	3.120
	W.	13.200	13.200	19.200	19.200	24.000	24.000
Conexiones	Entrada Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 1/8"	1 3/8"	1 3/8"	1 3/8"	1 5/8"	2 1/8"
	Desagüe Ø Pulg.	1 1/2"	2"	2"	2"	3"	3"
Desescarche Aire	Código	EV1280	EV1281	EV1282	EV1283	EV1284	EV1285
	€	7.539,40	8.387,70	9.820,30	10.618,00	12.601,20	13.713,50
Desescarche Eléctrico	Código	EV1295	EV1296	EV1297	EV1298	EV1299	EV1300
	€	8.983,20	9.831,50	11.618,00	12.404,50	15.146,10	16.264,10

Ventiladores de baja velocidad 1.000 r.p.m.

MODELO SKDB		Paso de aletas 4,5 mm.					
		SKDB-16	SKDB-19	SKDB-23	SKDB-27	SKDB-31	SKDB-35
Capacidad	ΔT 8°C - W	19.290	21.660	28.950	32.500	38.620	43.350
Dimensiones	A mm.	1.640	1.640	2.340	2.340	3.040	3.040
	B mm.	600	600	600	600	600	600
	C mm.	1.290	1.290	1.290	1.290	1.290	1.290
Superficie m ²		102,9	137,3	154,5	206,0	206,0	274,7
Volumen interior dm ³		27,5	36,5	40,0	54,8	52,8	71,4
Ventiladores	Caudal aire m ³ /h	11.800	10.700	17.700	16.050	23.600	21.400
	Flecha aire m.	12	11	12	11	12	11
	Nº x Ø (mm)	2x500	2x500	3x500	3x500	4x500	4x500
	Total Amperios I	1,88	1,88	2,82	2,82	3,76	3,76
Resistencias	Total W	1.100	1.100	1.650	1.650	2.200	2.200
	W.	13.200	13.200	19.200	19.200	24.000	24.000
Conexiones	Entrada Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 1/8"	1 3/8"	1 3/8"	1 3/8"	1 5/8"	2 1/8"
	Desagüe Ø Pulg.	1 1/2"	2"	2"	2"	3"	3"
Desescarche Aire	Código	EV1365	EV1366	EV1367	EV1368	EV1369	EV1370
	€	7.539,40	8.387,70	9.820,30	10.618,00	12.601,20	13.713,50
Desescarche Eléctrico	Código	EV1380	EV1381	EV1382	EV1383	EV1384	EV1385
	€	8.983,20	9.831,50	11.618,00	12.404,50	15.146,10	16.264,10





EVAPORADORES INDUSTRIALES DE TECHO - SERIE SK

Ventiladores de alta velocidad 1.300 r.p.m.

MODELO SKL		Paso de aletas 7 mm.							
		SKL-14	SKL-17	SKL-21	SKL-25	SKL-28	SKL-34	SKL-36	SKL-42
Capacidad	ΔT 8°C - W	15.370	18.060	23.070	27.090	30.770	36.140	38.880	45.690
Dimensiones	A mm.	1.640	1.640	2.340	2.340	3.040	3.040	3.840	3.840
	B mm.	600	600	600	600	600	600	600	600
	C mm.	1.290	1.290	1.290	1.290	1.290	1.290	1.290	1.290
Superficie m ²		68,5	91,4	102,9	137,2	137,2	183,0	176,5	235,3
Volumen interior dm ³		27,5	36,5	40,0	54,8	52,8	71,4	67,1	90,4
Ventiladores	Caudal aire m ³ /h	17.600	17.200	26.400	25.800	35.200	34.400	44.000	43.000
	Flecha aire m.	15	14	15	14	15	14	15	14
	Nº x Ø (mm)	2x500	2x500	3x500	3x500	4x500	4x500	5x500	5x500
	Total Amperios I	2,7	2,7	4,05	4,05	5,4	5,4	6,75	6,75
Total W		1.560	1.560	2.340	2.340	3.120	3.120	3.900	3.900
Resistencias	W.	13.200	13.200	19.200	19.200	24.000	24.000	26.400	26.400
Conexiones	Entrada Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 1/8"	1 3/8"	1 3/8"	1 3/8"	1 5/8"	2 1/8"	1 5/8"	2 1/8"
	Desagüe Ø Pulg.	1 1/2"	2"	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1310	EV1311	EV1312	EV1313	EV1314	EV1315	EV1316	EV1317
	€	7.342,70	8.084,30	9.494,40	10.185,40	12.123,60	13.134,90	14.331,50	15.618,00
Desescarche Eléctrico	Código	EV1325	EV1326	EV1327	EV1328	EV1329	EV1330	EV1331	EV1332
	€	8.786,60	9.539,40	11.275,30	11.966,30	14.685,50	15.668,60	17.078,70	18.376,50

Ventiladores de baja velocidad 1.000 r.p.m.

MODELO SKLB		Paso de aletas 7 mm.							
		SKLB-10	SKLB-12	SKLB-15	SKLB-18	SKLB-22	SKLB-24	SKLB-27	SKLB-29
Capacidad	ΔT 8°C - W	12.360	14.210	18.550	21.310	24.730	28.430	31.270	35.940
Dimensiones	A mm.	1.640	1.640	2.340	2.340	3.040	3.040	3.840	3.840
	B mm.	600	600	600	600	600	600	600	600
	C mm.	1.290	1.290	1.290	1.290	1.290	1.290	1.290	1.290
Superficie m ²		68,5	91,4	102,9	137,2	137,2	183,0	176,5	235,3
Volumen interior dm ³		27,5	36,5	40,0	54,8	52,8	71,4	67,1	90,4
Ventiladores	Caudal aire m ³ /h	12.300	11.600	18.450	17.400	24.600	23.200	30.750	29.000
	Flecha aire m.	13	12	13	12	13	12	13	12
	Nº x Ø (mm)	2x500	2x500	3x500	3x500	4x500	4x500	5x500	5x500
	Total Amperios I	1,88	1,88	2,82	2,82	3,76	3,76	4,70	4,70
Total W		1.100	1.100	1.650	1.650	2.200	2.200	2.750	2.750
Resistencias	W.	13.200	13.200	19.200	19.200	24.000	24.000	26.400	26.400
Conexiones	Entrada Ø Pulg.	5/8"	7/8"	7/8"	7/8"	1 1/8"	1 3/8"	1 1/8"	1 3/8"
	Salida Ø Pulg.	1 1/8"	1 3/8"	1 3/8"	1 3/8"	1 5/8"	2 1/8"	1 5/8"	2 1/8"
	Desagüe Ø Pulg.	1 1/2"	2"	2"	2"	3"	3"	3"	3"
Desescarche Aire	Código	EV1390	EV1391	EV1392	EV1393	EV1394	EV1395	EV1396	EV1397
	€	7.342,70	8.084,30	9.494,40	10.185,40	12.123,60	13.134,90	14.331,50	15.618,00
Desescarche Eléctrico	Código	EV1400	EV1401	EV1402	EV1403	EV1404	EV1405	EV1406	EV1407
	€	8.786,60	9.539,40	11.275,30	11.966,30	14.685,50	15.668,60	17.078,70	18.376,50

